



SPARTUS® ProTIG 225P AC/DC

MODERN, PORTABLE TIG AC / DC PULSE



TECHNICAL PARAMETERS

Input [V]	Welding current [A]	Duty cycle [%]	Pulse Amps [A]	AC frequency [Hz]	AC balance [%]	Weight [kg]	Dimensions [mm]
230	TIG 10 - 200 MMA 10 - 200	60	10 - 320	50 - 250	10 - 99	16	605 × 215 × 410

Additional features: pre gas, post gas, pulse, AC Wave Forms, balance AC, 2T/4T control, SPOT welding, Arc Force, Hot Start, memory channels



DESCRIPTION


SPARTUS® ProTIG 225P AC/DC

SPARTUS® ProTIG225P AC/DC is a inverter welder in a modern edition. It allows TIG AC/DC and MMA AC/DC welding with current up to 200A. The device is powered from a 230V one-phase network. Thanks to the solutions used, the **ProTIG 225P AC/DC** also enables advanced TIG AC and TIG DC welding with a choice of arc ignition HF or Lift method. The device is equipped with a **pulse welding function**, which makes the machine perfect for welding very thin sheets and aluminum. Additionally the device has 10 memory channels. The user can easily save and recall the most used settings. Modern design, light weight and LCD function in combination with high-class components makes the **ProTIG 225P AC/DC** stand out on the market. The professional device of the SPARTUS® Pro line is perfect suited to the production sector and industry.




CONTROL

CONTROL				
WIRED			WIRELESS	
HANDLE		foot control	foot control	remote panel
UP&DOWN	potentiometer			
✓	✓	✓	✓	✓



UP&DOWN



POTENTIOMETER



WIRED FOOT PEDAL



WIRELESS FOOT PEDAL



REMOTE CONTROL PANEL



STANDARD:


work clamp 3m
gas hose
user's manual

PACKAGE 26 4m:

TIG torch mini SPP mini 17 or 26 4B X 4m
TIG toolbox
electrode holder 3m
work clamp 3m
gas hose
user's manual

PACKAGE 26 8m:

TIG torch mini SPP mini 17 or 26 4B X 8m
TIG toolbox
electrode holder 3m
work clamp 5m
gas hose
user's manual



PRO

