

SPARTUS® ProTIG 321P AC/DC

MODERN AND EFFICIENT TIG AC / DC PULSE



TECHNICAL PARAMETERS

Input [V]	Welding current [A]	Duty cycle [%]	Pulse Amps [A]	AC frequency [Hz]	AC balance [%]	Weight [kg]	Dimensions [mm]
400	TIG 10 - 320 MMA 10 - 320	60	10-200	50 - 250	10 - 99	27.8	700 × 260 × 480


Additional features: pre gas, post gas, pulse, AC Wave Forms, balance AC, 2T/4T control, SPOT welding, Arc Force, Hot Start, memory channels, wireless remote control

i DESCRIPTION

SPARTUS® ProTIG 321P AC/DC is a inverter welder in a modern edition. It allows TIG AC/DC and MMA AC/DC welding with current up to 320A. The device is powered from a 400V three-phase network. Thanks to the solutions used, the **ProTIG 321P AC/DC** also enables advanced TIG AC and TIG DC welding with a choice of arc ignition HF or Lift method. The device is equipped with a **pulse welding function**, which makes the machine perfect for welding very thin sheets and aluminum. Additionally the device has 10 memory channels. The user can easily save and recall the most used settings. Modern design, LCD function panel and the possibility of wireless control in combination with high-class components makes the **ProTIG 321P AC/DC** stand out on the market. The professional device of the SPARTUS® Pro line is perfect suited to the production sector and industry.

📶 CONTROL

WIRED			WIRELESS	
HANDLE		potentiometer	foot control	remote panel
UP&DOWN				



UP&DOWN POTENTIOMETER WIRELESS FOOT PEDAL



WIRELESS FOOT PEDAL REMOTE CONTROL PANEL



SPARTUS® reserves the right to change specifications without notice © W.01.2021

STANDARD:


work clamp 3m
gas hose
user's manual

PACKAGE 26 4m:

TIG torch mini SPP 26 4B X 4m
TIG toolbox
electrode holder 3m
work clamp 3m
gas hose
user's manual

PACKAGE 26 8m:

TIG torch mini SPP 26 4B X 8m
TIG toolbox
electrode holder 3m
work clamp 5m
gas hose
user's manual



PRO

